


# NARMS - EB 1997

## Veterinary Isolates


**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates

Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates


**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates

**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates


**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates

**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates


Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)



# NARMS - EB 1997

## Veterinary Isolates

Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates


**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates

Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 30. Minimum Inhibitory Concentrations by Antimicrobial Agent  
Major Serotypes from Turkey (Slaughter)**



↓ Breakpoint